



TITLE:

Vol.25表紙・総目次

AUTHOR(S):

CITATION:

Vol.25表紙・総目次. PUBLICATIONS OF THE SETO MARINE BIOLOGICAL
LABORATORY 1980, 25(5-6)

ISSUE DATE:

1980-11-15

URL:


<http://hdl.handle.net/2433/175999>

RIGHT:

KYOTO UNIVERSITY

PUBLICATIONS
OF THE SETO MARINE
BIOLOGICAL LABORATORY

Volume XXV



PUBLISHED BY THE LABORATORY
SHIRAHAMA, WAKAYAMA, JAPAN

1980

CONTENTS

Nos. 1/4 (February 29, 1980)

1. Takeuchi, K.: Oozoid formation in the ascidian <i>Botrylloides violaceus</i>	1
2. Okubo, I.: Six species of the subfamily Cytherurinae Müller, 1894, in the Inland Sea, Japan (Ostracoda).	7
3. Cordero, P.A., Jr.: Phycological observations VII: On the occurrence and phyco-geographical distribution of <i>Sargassum duplicatum</i> and <i>Halicoryne wrightii</i> in the Philippines.	27
4. Yoshimura, K.: Free-living marine nematodes from Kii Peninsula. I.	39
5. Ito, T.: Three species of the genus <i>Zaus</i> (Copepoda, Harpacticoida) from Kodiak Island, Alaska.	51
6. Nishikawa, T.: Contributions to the Japanese ascidian fauna XXXII. Taxonomic review of the species group of <i>Pyura saccifformis</i> (Von Drasche, 1885).	79
7. Arimoto, I.: Supplements to the Japanese caprellid fauna. II. Caprellids from the washings of <i>Sargassum</i> collected in Nishidomari Bay, Tsushima Island in the Korean Straits.	95
8. Utinomi, H. (the late): A new pedunculate cirriped on spines of the sea-urchin, <i>Coelopleurus maculatus</i>	115
9. Imafuku, M.: Activity rhythm of the sea-pen, <i>Cavernularia obesa</i> Valenciennes, under temperature and light cycles.	119
10. Hirayama, A.: Gammaridea Amphipoda of the intertidal flat of Ishigaki Island, Ryukyu Archipelago. Part I. Genus <i>Hyale</i>	131
11. Ho, J.-S.: <i>Anchicaligus nautili</i> (Willey), a caligid copepod parasitic on nautilus in Palau, with discussion of <i>Caligulina</i> Heegaard, 1972.	157
12. Nishikawa, T.: Records of two lancelet species, <i>Asymmetron maldivense</i> and <i>A. lucayanum</i> , from the western north Pacific.	167
13. Fukao, R.: Review of Japanese fishes of the genus <i>Neoclinus</i> with description of two new species and notes on habitat preference.	175
14. Valbonesi, A. & Murano, M.: Mysidae of shallow water in Tanabe Bay.	211
15. Shepard, J.W. & Moyer, J.T.: Annotated checklist of the fishes of Miyake-jima, Japan. I. Pomacentridae, Chaetodontidae and Pomacanthidae.	227
16. Harada, E.: <i>Puerulus angulatus</i> from the waters of Kii Peninsula, Japan....	245

Nos. 5/6 (November 15, 1980)

17. Ooishi, S.: The larval development of some copepods of the family Ascidicolidae, subfamily Haplostominae, symbionts of compound ascidians.....	253
-----------------------------------------------------------------------------------------------------------------------------------------------------------	-----

18.	Ho, J.-S.: Origin and dispersal of <i>Mytilus edulis</i> in Japan deduced from its present status of copepod parasitism.	293
19.	Yamaoka, K.: Some pharyngeal jaw muscles of <i>Calotomus japonicus</i> (Scaridae, Pisces).	315
20.	Hirano, Y. & Inaba, A.: <i>Siphonaria</i> (pulmonate limpet) survey of Japan I. Observations on the behavior of <i>Siphonaria japonica</i> during breeding season.	323
21.	Hirano, Y.: <i>Siphonaria</i> (pulmonate limpet) survey of Japan II. Periodicity of spawning activity in <i>Siphonaria japonica</i>	335
22.	Yamanishi, R.: Interstitial polychaetes of Japan II. A new species of <i>Herionura</i> from western Japan.	343
23.	Hamatani, I.: On the species of the genus <i>Oxynoe</i> Rafinesque, 1819, from Japan, inclusive of a new species (Opisthobranchia: Sacoglossa). ...	349
24.	Imaoka, T.: Observation on <i>Psolus squamatus</i> from the Okhotsk Sea (Dendrochirota: Psolidae).	361
25.	Yoshimura, K.: Five species of the Genus <i>Eurystomina</i> Filipjev, 1921.	373
26.	Okubo, I.: Taxonomic studies on recent marine podocopid Ostracoda from the Inland Sea of Seto.	389
27.	Valbonesi, A. & Harada, E.: The vertical distributions of some copepods and a mysid in a near-shore water of Tanabe Bay.	445